

LINE

# INDOOR STEP LIGHTS LIGHTING FOR STAIRS AND CORRIDORS



diffuse



2700K 3000K 4000K 5000K blue

## RECESSED IN PLASTERBOARD WALLS

2.36x2.76 in  
2W 500mA



LINE 1.1

2.17x6.30 in  
2W 500mA




LINE 2.1

< **LINE 1.0**  
3000K, 2W, satin

Interior design by / Cristian Turra  
Photo by / Alessio Tamborini  
Private residence, Brescia, Italy



Designplan | L&L **Luce&Light**



## LINE 1.1

5.91x5.91 in  
H 2.76 in

1.50x2.17 in



0.40 lbs IP20



CASAMBI

2W 500mA

**LN1112** **A B** White

**LN1112** **A S** Satin

**LN1112** **A T** Corten

**F** - 2700K  
**5** - 3000K  
**9** - 4000K  
**0** - 5000K  
**1** - blue

diffuse

145 lm (3000K, 500mA)

32 lm (3000K, 500mA)

1 power LED  
1/4 ANSI BIN (white LED colour)  
50000h L90 B10 (Ta 25°C)

body and cover in steel

Remote power supply required, not included


terminal block

series

recessed (plasterboard)

none

certified ETL version available on request



## LINE 2.1

5.91x8.27 in  
H 2.76 in

1.77x4.92 in



0.71 lbs IP20



CASAMBI

2W 500mA

**LN2112** **A B** White

**LN2112** **A S** Satin

**LN2112** **A T** Cor-ten

**F** - 2700K  
**5** - 3000K  
**9** - 4000K  
**0** - 5000K  
**1** - blue

diffuse

145 lm (3000K, 500mA)

42 lm (3000K, 500mA)

1 power LED  
1/4 ANSI BIN (white LED colour)  
50000h L90 B10 (Ta 25°C)

body and cover in steel

Remote power supply required, not included

terminal block

series

recessed (plasterboard)

none

certified ETL version available on request






## POSITIONING DIAGRAMMS

### POSITIONING DIAGRAMMS


#### LINE 1.0 / 1.1

##### D - Diffuse



#### LINE 2.0 / 2.1

##### D - Diffuse





< **LINE 1.0**  
3000K, 2W, satin

Interior design by / Cristian Turra  
Photo by / Alessio Tamborini  
Private residence, Brescia, Italy



### LINE 1.0 1.1



### LINE 2.0 2.1

